

**PRINTER RUSH**  
(PTO ASSISTANCE)

#21

S.F.

Application : 09/304716 Examiner : K. Schwell GAU : 3761

From : LP Location : IDC (FME) FDC Date : 11/8/04

Tracking #: \_\_\_\_\_ Week Date: \_\_\_\_\_

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input checked="" type="checkbox"/> Other
<input type="checkbox"/> DRW	_____	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input type="checkbox"/> SPEC	_____	

[RUSH] MESSAGE: Notice Regarding Drawings has incorrect Serial  
number. Should be 09/304,716 not 09/404,716.

Please Resub  
Thank You  
CD

[XRUSH] RESPONSE: PTO-940 Form 455

INITIALS: JD

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

REV 10/04